

Publications

Ong, W.K.; Chakraborty, S.; and Sugii, S. (2021) Adipose Tissue: Understanding the Heterogeneity of Stem Cells for Regenerative Medicine. *Biomolecules* 11, 918.

Sriram, S.; Kang, N.Y.; Subramanian, S.; Nandi, T.; Sudhagar, S.; Xing, Q.; Tong, G.J.L.; Chen, A.K.L.; Srijaya, T.C.; Tan, P.; Loh, Y.H.; Chang, Y.T.; and Sugii, S. (2021) Novel Live Cell Fluorescent Probe for Early Reprogramming Human iPS Cells Highlights Early Reprogramming Population. *Stem Cell Res. Ther.* 12, 113.

Chakraborty, S.; Ong, W.K.; Zhou, Z.; Chitta, K.K.; Shabeer, M.; Shabbir, A.; Bhanu Prakash, K.N.; Toh, S.A.; Han, W.; and Sugii, S. (2021) CD10 Marks Non-canonical PPAR γ -independent Adipocyte Maturation and Browning Potential of Adipose-derived Stem Cells. *Stem Cell Res. Ther.* 12, 109.

Xing, Q.R.; El Farran, C.A.; Gautam, P.; Chuah, Y.S.; Warriar, T.; Toh, C.X.D.; Kang, N.Y.; Sugii, S.; Chang, Y.T.; Xu, J.; Collins, J.J.; Daley, G.Q.; Li, H.; Zhang, L.F.; and Loh, Y.H. (2020) Diversification of reprogramming trajectories revealed by parallel single-cell transcriptome and chromatin accessibility sequencing. *Science Adv.* 6, eaba1190.

Sayed, A.; Chakraborty, S.; Leung, K.Y.; Sugii, S.; and Mok, Y.K. (2020) Trxlp, a thioredoxin-like effector from *Edwardsiella piscicida* inhibits cellular redox signaling and nuclear translocation of NF- κ B. *Int. J. Biol. Macromol.* 148, 89-101.

Sugii, S.; and Velan, S.S. (2020) Physical and Physiological Properties of Fat. Chapter 25, *Quantitative Magnetic Resonance Imaging*. Elsevier, 667-679.

Sriram, S.; Yuan, C.; Chakraborty, S.; Tay, W.; Park, M.; Shabbir, A.; Toh, S.A.; Han, W.; & Sugii S. (2019) Oxidative stress mediates depot-specific functional differences of human adipose-derived stem cells", *Stem Cell Res. Ther.* 10, 141.

Yuan, C.; Chakraborty, S.; Chitta, K.K.; Subramanian, S.; Lim, T.E.; Han, W.; Bhanu Prakash, K.N.; and Sugii, S. (2019) Fast Adipogenesis Tracking System (FATS) – A Robust, High Throughput, Automation-ready Adipogenesis Quantification Technique. *Stem Cell Res. Ther.* 10, 38.

Chan, X.H.D.; Goggi, J.; Balasundaram, G.; Attia, A.B.; Goggi, J.; Ramasamy, B.; Han, W.; Olivo, M.; and Sugii, S. (2018) Multimodal Imaging Approach to Monitor Browning of Adipose Tissue In Vivo. *J. Lipid Res.* 59, 1071-1078.

Srijaya, T.C.; Sriram, S.; Subramanian, S.; Cheng, S.; Ong, W.K.; Rozen, S.; Abu Kasim, N.H.*; and Sugii, S.* (2018) Amenable Epigenetic Traits of Dental Pulp Stem Cells Underlie High Capability of Xeno-free Episomal Reprogramming. *Stem Cell Res. Ther.* 9, 68.

Srijaya, T.C.; Sriram, S.; Abu Kasim, N.H.*; and Sugii, S.* (2018) MSCs as Biological Drugs. Chapter 16 - In X.D. Chen (Ed.), *A Roadmap to Non-hematopoietic Stem Cell-Based Therapeutics*, 4th Sep, Elsevier, 395-418.

Lysaght, T.; Munsie, M.; Castricum, A.; Hui, J.H.P.; Okada, K.; Sato, Y.; Sawa, Y.; Stewart, C.; Tan, L.K.; Tan, L.H.Y.; and Sugii, S. (2018) A Roundtable on Responsible Innovation with Autologous Stem Cells in Australia, Japan and

Singapore. *Cytotherapy* 20, 1103-1109.

Yau, W.W.; Singh, B.K.; Lesmana, R.; Zhou, J.; Sinha, R.A.; Wong, K.A.; Wu, Y.; Bay, B.H.; Sugii, S.; Sun, L.; and Yen, P.M. (2018) Thyroid Hormone (T₃) Stimulates Brown Adipose Tissue Activation via Mitochondrial Biogenesis and mTOR-mediated Mitophagy. *Autophagy* 15, 131-150.

Dev, K.; Dinish, U.S.; Chakraborty, S.; Renzhe, B.; Andersson-Engels, S.; Sugii, S.; Olivo, M. (2018) Quantitative In Vivo Detection of Adipose Tissue Browning Using Diffuse Reflectance Spectroscopy in Near-infrared II Window. *J. Biophotonics* e201800135.

Guneta, V.; Zhou, Z.; Tan, N.S.; Sugii, S.; Wong, T.C.; and Choong, C. (2017) Recellularization of Decellularized Adipose Tissue-derived Stem Cells: Role of Cell-secreted Extracellular Matrix in Cellular Differentiation. *Biomater. Sci.* 6, 168-178.

Dinish, U.S., Wong, C.L., Sriram, S., Ong, W.K., Balasundaram, G., Sugii, S.*, and Olivo, M.* (2017) Diffuse Optical Spectroscopy and Imaging to Detect and Quantify Adipose Tissue Browning. *Sci. Rep.* 7, 41357. (*Co-corresponding Author)

Nguyen, P.N., Choo, K.B., Huang, C.J., Sugii, S., Cheong, S.K., and Kamarul, T. (2017) miR-524-5p of the primate-specific C19MC miRNA cluster targets TP53IPN1 and EMT-associated genes to regulate cellular reprogramming. *Stem Cell Res. Ther.* 8, 214.

Nguyen, P.N., Huang, C.J., Sugii, S., Cheong, S.K., and Choo, K.B. (2017) Selective activation of miRNAs of the primate-specific chromosome 19 miRNA cluster (C19MC) in cancer and stem cells: possible contribution to regulation of apoptosis. *J. Biomed. Sci.* 24, 20.

Srijaya, T.C., Sriram, S., Sugii, S.*, and Abu Kasim, N.H.* (2017) Stem Cells in Dentistry: Potential Applications and Perspectives in Clinical Research. In P.V. Pham (Ed.), *Stem Cells in the Clinical Applications: Bone and Cartilage Regeneration*, 293-308, Springer (*Co-corresponding Author)

Perumal, J., Sriram, S., Lim, H.Q., Olivo, M.*, and Sugii, S.* (2016) Retinoic Acid Is Abundantly Detected in Different Depots of Adipose Tissue by SERS. *Adipocyte* 5, 378-383.

Takeda, K., Sriram, S., Chan, X.H.D., Ong, W.K., Yeo, C.R., Tan, B., Lee, S.A., Kong, K.V., Hoon, S., Jiang, H., Yuen, J.J., Perumal, J., Agrawal, M., Vaz, C., So, J., Shabbir, A., Blaner, W.S., Olivo, M., Han, W., Tanavde, V., Toh, S.A., and Sugii, S. (2016) Retinoic Acid Modulates Visceral-Specific Adipogenic Defects of Human Adipose-derived Stem Cells. *Diabetes* 65, 1164-1178.

Chaurasia, B., Kaddai, V.A., Lancaster, G.I., Henstridge, D.C., Sriram, S., Galam, D.L.A., Gopalan, V., Bhanu Prakash, K.N., Velan, S.S., Bulchand, S., Tsong, T.J., Wang, M., Siddique, M.M., Yuguang, G., Sigmundsson, K., Mellet, N.A., Weir, J.M., Meikle, P.J., Bin Mohamed Yassin, M.S., Shabbir, A., Shayman, J.A., Hirabayashi, Y., Toh, S.A., Sugii, S., and Summers, S.A. (2016) Adipocyte Ceramides Regulate Subcutaneous Adipose Browning, Inflammation and Metabolism. *Cell Metab.* 24, 820-834.

Lysaght, T., and Sugii, S. (2016) Uncertain Oversight of Regenerative Medicines in Japan under the ASRM. *Cell Stem Cell* 18, 438-439.

Park, M., Kaddai, V., Ching, J., Fridanto, K.T., Sieli R.J., Sugii, S., and Summers, S.A. (2016) A Role for Ceramides, but NOT Sphingomyelins, as Antagonists of Insulin Signaling and Mitochondrial Metabolism in C2C12 Myotubes. *J. Biol. Chem.* 291, 23978-23988.

Guneta, V., Tan, N.S., Sugii, S., Lim, T.C., Wong, T.C., Choong, C. (2016) Comparative Study of Adipose-Derived Stem Cells from Abdomen and Breast. *Ann. Plast. Surg.* 76, 569-575.

Bhanu Prakash, K.N., Verma, S.K., Yaligar, J., Goggi, J., Gopalan, V., Lee, S.S., Tian, X., Sugii, S., Leow, M.K., Bhakoo, K., and Velan, S.S. (2016) Segmentation and Characterization of Interscapular Brown Adipose Tissue in Rats by Multi-Parametric Magnetic Resonance Imaging. *MAGMA* 29, 277-286.

Raichur, S., Wang, S.T., Chan, P.W., Li, Y., Ching, J., Chaurasia, B., Dogra, S., Öhman, M.K., Takeda, K., Sugii, S., Pewzner-Jung, Y., Futerman, A.H., and Summers, S.A. (2014) CerS2 haploinsufficiency inhibits β -oxidation and confers susceptibility to diet-induced steatohepatitis and insulin resistance. *Cell Metab.* 20, 687-695.

Ong, W.K., Tan, C.S., Chan, K.L., Goesantoso, G.G., Chan, X.H.D., Chan, E., Yin, J., Yeo, C.R., Khoo, C.M., So, J., Shabbir, A., Toh, S.A., Han, W., and Sugii, S. (2014) Identification of Specific Cell Surface Markers of Adipose-derived Stem Cells from Subcutaneous and Visceral Fat Depots. *Stem Cell Reports* 2, 171-179.

Lim, M.H., Ong, W.K., and Sugii, S. (2014) Current Landscape of Adipose-derived Stem Cells in Clinical Applications. *Expert Rev. Mol. Med.* 16, e8.

Wee, K., Yang, W., Sugii, S., and Han, W. (2014) Towards a mechanistic understanding of lipodystrophy and seipin functions. *Biosci. Rep.* 34, e00141.

Yang, W., Thein, S., Lim, C.Y., Ericksen, R.E., Sugii, S., Xu, F., Robinson, R., Kim, J.B., and Han, W. (2014) Arp2/3 Complex Regulates Adipogenesis by Controlling Cortical Actin Remodeling. *Biochem. J.* 464, 179-92.

Choong, P.F., Teh, H.X., Teoh, H.K., Ong, H.K., Choo, K.B., Sugii, S., Cheong, S.K., and Kamarul, T. (2014) Heterogeneity of Osteosarcoma Cell Lines Led to Variable Responses in Reprogramming. *Int. J. Med. Sci.* 11, 1154-1160.

Huang, C.J., Nguyen, P.N., Choo, K.B., Sugii, S., Wee, K., Cheong, S.K., and Kamarul, T. (2014) Frequent Co-Expression of miRNA-5p and -3p Species and Cross-Targeting in Induced Pluripotent Stem Cells. *Int. J. Med. Sci.* 11, 824-833.

Yaligar, J., Gopalan, V., Ong, W.K., Sugii, S., Shui, G., Lam, B.D.; Henry, C.J., Wenk, M.R., Tai, E.S., and Velan, S.S. (2014) Evaluation of Dietary Effects on Hepatic Lipids in High Fat and Placebo Diet Fed Rats by In Vivo MRS and LC-MS Techniques. *PLOS ONE* 9, e91436.

Gong, Y.D., Zhang, B., Notake, T., Minamide, H., Olivo, M., and Sugii, S. (2014) Investigations on Polarimetric Terahertz Frequency Domain Spectroscopy. *Appl. Phys. A.* 115, 83-86.

Ong, W.K., and Sugii, S. (2013) Adipose-derived Stem Cells: Fatty Potentials for Therapy. ("Cells in Focus" series) *Int. J. Biochem. Cell Biol.* 45, 1083-1086.

Qiu, W., Wee, K., Takeda, K., Lim, X., Sugii, S.*, Radda, G.K., and Han, W*. (2013) Suppression of Adipogenesis by Pathogenic Seipin Mutant Is Associated with Inflammatory Response. *PLOS ONE* 8, e57874. (*Co-corresponding Author)

Yang, W., Thein, S., Guo, X., Xu, F., Venkatesh, B., Sugii, S., Radda, G.K., and Han, W. (2013) Seipin Differentially Regulates Lipogenesis and Adipogenesis through a Conserved Core Sequence and an Evolutionarily Acquired C-terminus. *Biochem. J.* 452, 37-44.

Yang, W., Guo, X., Thein, S., Xu, F., Sugii, S., Baas, P.W., Radda, G.K., and Han, W. (2013) Regulation of Adipogenesis by Cytoskeleton Remodeling Is Facilitated by Acetyltransferase MEC-17-Dependent Acetylation of α -Tubulin. *Biochem. J.* 449, 605-612.

Sugii, S., and Evans, R.M. (2011) Epigenetic Codes of PPAR γ in Metabolic Disease. *FEBS Lett.* 585, 2121-2128. (REVIEW ARTICLE)

Sugii, S.*, Kida, Y.*, Berggren, W.T., and Evans, R.M. (2011) Feeder-Dependent and Feeder-Independent iPS Cell Derivation from Human and Mouse Adipose Stem Cells. *Nature Protoc.* 6, 346-358.

Sugii, S.*, Kida, Y.*, Kawamura, T., Suzuki, J., Vassena, R., Yin, Y.Q., Lutz, M.K., Berggren, W.T., Izpisua Belmonte, J.C., and Evans, R.M. (2010) Human and Mouse Adipose-Derived Cells Support Feeder Independent Induction of Pluripotent Stem Cells. *Proc. Natl. Acad. Sci. USA* 107, 3558-3563.

Sugii, S., Olson, P., Sears, D.D., Saberi, M., Atkins, A.R., Barish, G.D., Hong, S.H., Castro, G.L., Yin, Y.Q., Nelson, M.C., Hsiao, G., Greaves, D.R., Downes, M., Yu, R.T., Olefsky, J.M., and Evans, R.M. (2009) PPAR γ Activation in Adipocytes Is Sufficient for Systemic Insulin Sensitization. *Proc. Natl. Acad. Sci. USA* 106, 22504-22509.

Sugii, S.*, Lin, S.*, Ohgami, N.*, Ohashi, M., Chang, C.C.Y., and Chang, T.Y. (2006) Roles of Endogenously Synthesized Sterols in the Endocytic Pathway. *J. Biol. Chem.* 281, 23191-23206.

Chang, T.Y., Reid, P.C., Sugii, S., Ohgami, N., Cruz, J.C., and Chang C.C.Y. (2005) The Niemann-Pick Type C Disease and Intracellular Cholesterol Trafficking. *J. Biol. Chem.* 280, 20917-20920.

Reid, P.C., Sakashita, N., Sugii, S., Ohno-Iwashita, Y., Shimada, Y., Hickey, W.F., and Chang, T.Y. (2004) A Novel Cholesterol Stain Reveals Early Neuronal Cholesterol Accumulation in the Niemann-Pick Type C1 Mouse Brain. *J. Lipid Res.* 45, 582-591.

Sugii, S., Reid, P.C., Ohgami, N., Du, H., and Chang, T.Y. (2003) Distinct Endosomal Compartments in Early Trafficking of Low Density Lipoprotein-derived Cholesterol. *J. Biol. Chem.* 278, 27180-27189.

Sugii, S., Reid, P.C., Ohgami, N., Shimada, Y., Maue, R.A., Ninomiya, H., Ohno-Iwashita, Y., and Chang, T.Y. (2003) Biotinylated Theta Toxin Derivative as a Probe to Examine Intracellular Cholesterol-Rich Domains in Normal and Niemann-Pick Type C1 Cells. *J. Lipid Res.* 44, 1033-1041. (COVER ARTICLE)

Reid, P.C., Sugii, S., and Chang, T.Y. (2003) Trafficking Defects in Endogenously Synthesized Cholesterol (endoCHOL) in Fibroblasts, Macrophages, Hepatocytes,

and Glial Cells from the Niemann-Pick Type C1 Mice. *J. Lipid Res.* 44, 1010-1019.

Cruz, J.C., Thomas, M., Wong, E., Ohgami, N., Sugii, S., Curphey, T., Chang, C.C.Y., and Chang, T.Y. (2002) Synthesis and Biochemical Properties of a New Photoactivatable Cholesterol Analog 7,7-azocholestanol and its Linoleate Ester in Chinese Hamster Ovary Cell Lines. *J. Lipid Res.* 43, 1341-1347.

Cruz, J.C., Sugii, S., Yu, C., and Chang, T.Y. (2000) Role of Niemann-Pick C1 Protein in Intracellular Trafficking of Low Density Lipoprotein-derived Cholesterol. *J. Biol. Chem.* 275, 4013-4021. (COVER ARTICLE)