

Publications

Lim Sai Kiang's Publications

Loinard, C., et al., HuMSC-EV induce monocyte/macrophage mobilization to orchestrate neovascularization in wound healing process following radiation injury. *Cell Death Discovery*, 2023. 9(1): p. 38.

Zhang, S., et al., Mesenchymal Stem Cell Exosomes Promote Functional Osteochondral Repair in a Clinically Relevant Porcine Model. *The American Journal of Sports Medicine*, 2022: p. 3635465211068129-3635465211068129.

Wong, K.L., et al., Mesenchymal Stem Cell Exosomes Promote Growth Plate Repair and Reduce Limb-Length Discrepancy in Young Rats. *JBJS*, 2022. 104(12): p. 1098-1106.

Toh, W.S., et al. Small Extracellular Vesicles From Mesenchymal Stem Cells And Mechanisms Of Action In Joint Repair. In *Tissue Engineering Part A*. 2022. Mary Ann Liebert, Inc 140 Huguenot Street, 3rd Fl, New Rochelle, Ny 10801 Usa.

Toh, W.S., Et Al. Mesenchymal Stem Cell-Derived Small Extracellular Vesicles Promote Bone Regeneration Through A Multi-Faceted Mechanism Of Action. In *Tissue Engineering Part A*. 2022. Mary Ann Liebert, Inc 140 Huguenot Street, 3rd Fl, New Rochelle, NY 10801 USA.

Tan, T.T., et al., Practical considerations in transforming MSC therapy for neurological diseases from cell to EV. *Experimental Neurology*, 2022. 349: p. 113953.

Salomon, C., et al., Extracellular vesicles and their emerging roles as cellular messengers in endocrinology: an endocrine society scientific statement. *Endocrine reviews*, 2022. 43(3): p. 441-468.

Rodrigues-Junior, D.M., et al., Extracellular vesicles and transforming growth factor β signaling in cancer. *Frontiers in Cell and Developmental Biology*, 2022: p. 761.

Papait, A., et al., Perinatal derivatives: How to best validate their immunomodulatory functions. *Frontiers in Bioengineering and Biotechnology*, 2022: p. 1598.

Paolini, L., et al., Large-scale production of extracellular vesicles: Report on the “massivEVs” ISEV workshop. 2022.

Loh, J.T., et al., Mechanism for the attenuation of neutrophil and complement hyperactivity by MSC exosomes. *Cytotherapy*, 2022. 24: p. 711-719.

Davidson, S.M., et al., Methods for the identification and characterization of extracellular vesicles in cardiovascular studies: from exosomes to microvesicles. *Cardiovascular research*, 2022.

Chuah, S.J., et al., Mesenchymal stromal cell-derived small extracellular vesicles modulate macrophage polarization and enhance angio-osteogenesis to promote bone healing. *Genes & Diseases*, 2022. 9(4): p. 841-844.

Zhang, B., et al., Topical application of mesenchymal stem cell exosomes alleviates the imiquimod induced psoriasis-like inflammation. *International Journal of Molecular Sciences*, 2021. 22(2): p. 720.

Tan, T.T., et al., Assessment of tumorigenic potential in mesenchymal-stem/stromal-cell-derived small extracellular vesicles (MSC-sEV). *Pharmaceuticals*, 2021. 14(4): p. 345.

Hede, K.T., et al., Mesenchymal stem cell extracellular vesicles as adjuvant to bone marrow stimulation in chondral defect repair in a minipig model. *Cartilage*, 2021. 13(2_suppl): p. 254S-266S.

Gimona, M., et al., Critical considerations for the development of potency tests for therapeutic applications of mesenchymal stromal cell-derived small extracellular vesicles. *Cytotherapy*, 2021. 23(5): p. 373-380.

Dorransoro, A., et al., Mesenchymal stem cell-derived extracellular vesicles reduce senescence and extend health span in mouse models of aging. *Aging cell*, 2021. 20(4): p. e13337.

Zhang, S., et al., Optimising administration of MSC exosomes for cartilage repair in the clinic. *Cytotherapy*, 2020. 22(5): p. S55.

Wong, K.L., et al., Intra-articular injections of mesenchymal stem cell exosomes and hyaluronic acid improve structural and mechanical properties of repaired cartilage in a rabbit model. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 2020. 36(8): p. 2215-2228. e2.

Weiss, D.J., et al., Weiss Response to Sengupta et al. *Stem Cells Dev*, 2020. 29(24): p. 1533-1534.

Tse, S.W., et al., Microenvironmental hypoxia induces dynamic changes in lung Cancer synthesis and secretion of extracellular vesicles. *Cancers*, 2020. 12(10): p. 2917.

Lim, S.K., et al., exosomes derived from bone marrow mesenchymal stem cells as treatment for severe COVID-19" by Sengupta et al. *Stem Cells Dev*, 2020. 29(14): p. 877-8.

Charles, C.J., et al., Systemic mesenchymal stem cell-derived exosomes reduce myocardial infarct size: characterization with MRI in a porcine model. *Frontiers in Cardiovascular Medicine*, 2020. 7: p. 601990.

Börger, V., et al., International Society for Extracellular Vesicles and International Society for Cell and Gene Therapy statement on extracellular vesicles from mesenchymal stromal cells and other cells: considerations for potential therapeutic agents to suppress coronavirus disease-19. *Cytotherapy*, 2020. 22(9): p. 482-485.

Accarie, A., et al., Extracellular vesicles derived from mesenchymal stromal cells mitigate intestinal toxicity in a mouse model of acute radiation syndrome. *Stem Cell Research & Therapy*, 2020. 11: p. 1-15.

Zhang, S., et al., MSC exosomes alleviate temporomandibular joint osteoarthritis by attenuating inflammation and restoring matrix homeostasis. *Biomaterials*, 2019. 200: p. 35-47.

Witwer, K.W., et al., Defining mesenchymal stromal cell (MSC)-derived small extracellular vesicles for therapeutic applications. *Journal of extracellular vesicles*, 2019. 8(1): p. 1609206.

van Balkom, B.W., et al., Proteomic signature of mesenchymal stromal cell-derived small extracellular vesicles. *Proteomics*, 2019. 19(1-2): p. 1800163.

Teo, K., et al., MSC exosomes alleviate osteoarthritis through restoration of matrix homeostasis. *Cytotherapy*, 2019. 21(5): p. S52.

Rodrigues-Junior, D.M., et al., High expression of MLANA in the plasma of patients with head and neck squamous cell carcinoma as a predictor of tumor progression. *Head & Neck*, 2019. 41(5): p. 1199-1205.

Rodrigues-Junior, D.M., et al., Circulating extracellular vesicle-associated TGF β 3 modulates response to cytotoxic therapy in head and neck squamous cell carcinoma. *Carcinogenesis*, 2019. 40(12): p. 1452-1461.

Rodrigues-Junior, D.M., et al., A preliminary investigation of circulating extracellular vesicles and biomarker discovery associated with treatment response in head and neck squamous cell carcinoma. *BMC cancer*, 2019. 19: p. 1-9.

Lim, S.K. and K.H. Tan, Microparticle fractionation. 2019, US Patent 10,481,166.

Lim, S.K., Therapeutic Compositions Comprising Mesenchymal Stem Cell Particles And Related Methods. 2019, US Patent App. 15/889,973.

Lim, S.K., Method for lyophilising an exosome. 2019, US Patent App. 16/340,948.

Lai, R.C., K.H. Tan, and S.K. Lim, Membrane lipid binding molecules for the isolation of bona fide extracellular vesicle types and associated biomarkers in liquid biopsy. *Journal of Cancer Metastasis and Treatment*, 2019. 5: p. 65.

Lai, R.C. and S.K. Lim, Membrane lipids define small extracellular vesicle subtypes secreted by mesenchymal stromal cells. *Journal of lipid research*, 2019. 60(2): p. 318-322.

Chew, J.R.J., et al., Mesenchymal stem cell exosomes enhance periodontal ligament cell functions and promote periodontal regeneration. *Acta biomaterialia*, 2019. 89: p. 252-264.

Zhang, S., et al., MSC exosomes mediate cartilage repair by enhancing proliferation, attenuating apoptosis and modulating immune reactivity. *Biomaterials*, 2018. 156: p. 16-27.

Zhang, B., et al., Mesenchymal stromal cell exosome–enhanced regulatory T-cell production through an antigen-presenting cell–mediated pathway. *Cytotherapy*, 2018. 20(5): p. 687-696.

Wu, R., et al., Microfluidic device for gel electrophoresis and method of manufacturing thereof. 2018, US Patent 10,024,820.

Toh, W.S., et al., Immune regulatory targets of mesenchymal stromal cell exosomes/small extracellular vesicles in tissue regeneration. *Cytotherapy*, 2018. 20(12): p. 1419-1426.

Toh, W.S., et al., MSC exosome works through a protein-based mechanism of action. *Biochemical Society Transactions*, 2018. 46(4): p. 843-853.

Toh, W., et al., MSC exosomes alleviate pain and degeneration in A rat model of temporomandibular joint osteoarthritis. *Cytotherapy*, 2018. 20(5): p. S16.

Théry, C., et al., Minimal information for studies of extracellular vesicles 2018 (MISEV2018): a position statement of the International Society for Extracellular Vesicles and update of the MISEV2014 guidelines. *Journal of extracellular vesicles*, 2018. 7(1): p. 1535750.

Lai, R., et al., Topical application of Yolk lecithin liposomes reinforces skin barrier function against chemical agents such as psoriasis-inducing IMQ and alleviates disease phenotype. *Clin Exp Dermatol Ther*, 2018. 2018: p. 1-10.

Toh, W.S., et al. MSC exosome as a cell-free MSC therapy for cartilage regeneration: implications for osteoarthritis treatment. in *Seminars in cell & developmental biology*. 2017. Academic Press.

Tan, K.H., et al., Extracellular vesicles yield predictive pre-eclampsia biomarkers. *Journal of extracellular vesicles*, 2017. 6(1): p. 1408390.

Reiner, A.T., et al., Concise review: developing best-practice models for the therapeutic use of extracellular vesicles. *Stem cells translational medicine*, 2017. 6(8): p. 1730-1739.

Reiner, A.T., et al., EV-associated MMP9 in high-grade serous ovarian cancer is preferentially localized to annexin V-binding EVs. *Disease Markers*, 2017. 2017.

Reiner, A.T., et al., Magnetic nanoparticle-enhanced surface plasmon resonance biosensor for extracellular vesicle analysis. *Analyst*, 2017. 142(20): p. 3913-3921.

Park, J.E., et al., Dietary phytochemical PEITC restricts tumor development via modulation of epigenetic writers and erasers. *Scientific Reports*, 2017. 7(1): p. 40569.

Zhang, S., et al., Exosomes derived from human embryonic mesenchymal stem cells promote osteochondral regeneration. *Osteoarthritis and cartilage*, 2016. 24(12): p. 2135-2140.

Wee Yeh Yeo, R., R. Chai Lai, and S. Kiang Lim, Mesenchymal stromal cell extracellular vesicles/exosomes. *The Biology and Therapeutic Application of Mesenchymal Cells*, 2016: p. 250-263.

Rodrigues-Junior, D.M., et al., Analysis of the extracellular vesicles content present in the plasma of patients with head and neck squamous cell carcinoma for identification of molecular markers for treatment response. *Cancer Research*, 2016. 76(14_Supplement): p. 3150-3150.

Lai, R.C., et al., Isolation and characterization of exosome from human embryonic stem cell-derived C-Myc-immortalized mesenchymal stem cells. *Mesenchymal Stem Cells: Methods and Protocols*, 2016: p. 477-494.

Lai, R.C., et al., MSC secretes at least 3 EV types each with a unique permutation of membrane lipid, protein and RNA. *Journal of extracellular vesicles*, 2016. 5(1): p. 29828.

Adav, S.S., et al., Dementia-linked amyloidosis is associated with brain protein deamidation as revealed by proteomic profiling of human brain tissues. *Molecular brain*, 2016. 9(1): p. 1-10.

Yeo, R.W.Y. and L. Sai Kiang, Exosomes and their Therapeutic Applications, in *ADVANCES IN PHARMACEUTICAL CELL THERAPY: Principles of Cell-Based Biopharmaceuticals*. 2015, World Scientific. p. 477-501.

Tan SS, C.T., Tan KH, and L. SK., An overview of the proteomic and miRNA cargo in MSC derived exosomes, in *Mesenchymal Stem Cell Derived Exosomes – The potential for translational nanomedicine*. 2015, Academic Press. p. 21-36.

Lim, S.K., et al., Use of exosomes to promote or enhance hair growth. 2015, US Patent App. 14/444,113.

Lener, T., et al., Applying extracellular vesicles based therapeutics in clinical trials—an ISEV position paper. *Journal of extracellular vesicles*, 2015. 4(1): p. 30087.

Lai, R.C., R.W.Y. Yeo, and S.K. Lim. Mesenchymal stem cell exosomes. in *Seminars in cell & developmental biology*. 2015. Academic Press.

Bank, I.E., et al., The diagnostic and prognostic potential of plasma extracellular vesicles for cardiovascular disease. *Expert review of molecular diagnostics*, 2015. 15(12): p. 1577-1588.

Zhang, B., et al., Mesenchymal stem cells secrete immunologically active exosomes. *Stem cells and development*, 2014. 23(11): p. 1233-1244.

Zhang, B., et al., Immunotherapeutic potential of extracellular vesicles. *Frontiers in immunology*, 2014. 5: p. 518.

Tan, K.H., et al., Plasma biomarker discovery in preeclampsia using a novel differential isolation technology for circulating extracellular vesicles. *American journal of obstetrics and gynecology*, 2014. 211(4): p. 380. e1-380. e13.

Tan, C.Y., et al., Mesenchymal stem cell-derived exosomes promote hepatic regeneration in drug-induced liver injury models. *Stem cell research & therapy*, 2014. 5: p. 1-14.

Li, X., et al., Quantitative profiling of the rat heart myoblast secretome reveals differential responses to hypoxia and re-oxygenation stress. *Journal of proteomics*, 2014. 98: p. 138-149.

Dutta, B., et al., Quantitative profiling of chromatome dynamics reveals a novel role for HP1BP3 in hypoxia-induced oncogenesis. *Molecular & Cellular Proteomics*, 2014. 13(12): p. 3236-3249.

Yeo, Y. and R. Wee, Efficiency of exosome production correlates inversely with the developmental maturity of MSC donor. 2013.

Yeo, R.W.Y., et al., Mesenchymal stem cell: an efficient mass producer of exosomes for drug delivery. *Advanced drug delivery reviews*, 2013. 65(3): p. 336-341.

Yeo, R.W.Y., et al., Exosome: a novel and safer therapeutic refinement of mesenchymal stem cell. *Exosomes and Microvesicles*, 2013. 1: p. 7.

Wang, J., et al., Plasma extracellular vesicle protein content for diagnosis and prognosis of global cardiovascular disease. 2013, Bohn Stafleu van Loghum.

Tan, S.S., et al., Therapeutic MSC exosomes are derived from lipid raft microdomains in the plasma membrane. *Journal of extracellular vesicles*, 2013. 2(1): p. 22614.

Ren, Y., et al., Hypoxia modulates A431 cellular pathways association to tumor radioresistance and enhanced migration revealed by comprehensive proteomic and functional studies. *Molecular & cellular proteomics*, 2013. 12(2): p. 485-498.

Lim, S.K. and K.H. Tan, Gm1 ganglioside to annexin v microparticle polypeptide ratio for biological monitoring. 2013.

Lim, S.K. and D.P. de Kleijn, Fatih Arslan, Ruenn Chai Lai d, e, Mirjam B. Smeets, Lars Akeroyd, Andre Choo f, Eissa NE Aguor, Leo Timmers, Harold V. van Rijen g, Pieter A. Doevendans c, Gerard Pasterkamp. *Stem Cell Research*, 2013. 10: p. 301-312.

Li, G., et al. Reprogramming Adipose-Derived Stem Cells and Fibroblasts into Insulin-Producing Cells. in *DIABETES*. 2013. AMER DIABETES ASSOC 1701 N BEAUREGARD ST, ALEXANDRIA, VA 22311-1717 USA.

Levi, S.K., et al., Use of exosomes to promote or enhance hair growth. 2013, US Patent App. 13/879,905.

Lai, R.C., et al., Mesenchymal stem cell exosomes: the future MSC-based therapy? *Mesenchymal stem cell therapy*, 2013: p. 39-61.

Lai, R.C., et al., Mesenchymal stem cell exosome ameliorates reperfusion injury through proteomic complementation. *Regenerative medicine*, 2013. 8(2): p. 197-209.

Lai, R.C., et al., Exosomes for drug delivery—a novel application for the mesenchymal stem cell. *Biotechnology advances*, 2013. 31(5): p. 543-551.

Kosaka, N., T.S. Chen, and S.K. Lim, Measurement of Precursor miRNA in Exosomes from Human ESC-Derived Mesenchymal Stem Cells. 2013.

Kosaka, N., Circulating MicroRNAs. 2013, Totowa, NJ: Humana Press.

Kanhai, D.A., et al., Microvesicle protein levels are associated with increased risk for future vascular events and mortality in patients with clinically manifest vascular disease. International journal of cardiology, 2013. 168(3): p. 2358-2363.

Chen, T.S. and S.K. Lim, Measurement of Precursor miRNA in Exosomes from Human ESC-Derived Mesenchymal Stem Cells. 2013.

Arslan, F., et al., Lack of haptoglobin results in unbalanced VEGF α /angiopoietin-1 expression, intramural hemorrhage and impaired wound healing after myocardial infarction. Journal of Molecular and Cellular Cardiology, 2013. 56: p. 116-128.

Arslan, F., et al., Mesenchymal stem cell-derived exosomes increase ATP levels, decrease oxidative stress and activate PI3K/Akt pathway to enhance myocardial viability and prevent adverse remodeling after myocardial ischemia/reperfusion injury. Stem cell research, 2013. 10(3): p. 301-312.

Yeo, R.W.Y., et al., High glucose predisposes gene expression and ERK phosphorylation to apoptosis and impaired glucose-stimulated insulin secretion via the cytoskeleton. 2012.

van Koppen, A., et al., Human embryonic mesenchymal stem cell-derived conditioned medium rescues kidney function in rats with established chronic kidney disease. PloS one, 2012. 7(6): p. e38746.

Tan, C.Y., et al. EXPLORING MESENCHYMAL STEM CELL DERIVED EXOSOME AS A HEPATOPROTECTIVE AGENT IN DRUG-INDUCED LIVER INJURY (DIALI). in DRUG METABOLISM REVIEWS. 2012. INFORMA HEALTHCARE TELEPHONE HOUSE, 69-77 PAUL STREET, LONDON EC2A 4LQ, ENGLAND.

Ong, L.M., et al., Cotransplantation of Ex Vivo Expanded and Unexpanded Cord Blood Units in Immunodeficient Mice Using Insulin Growth Factor Binding Protein-2–Augmented Mesenchymal Cell Cocultures. Biology of Blood and Marrow Transplantation, 2012. 18(5): p. 674-682.

Lim, S.K. and K.H. Tan, Pre-natal mesenchymal stem cells. 2012, US Patent App. 13/383,294.

Lim, S.K., Methods of detecting therapeutic exosomes. 2012.

Lim, S.K., Methods for monitoring cellular states and for immortalizing mesenchymal stem cell. 2012, US Patent App. 13/505,622.

Li, X., et al., Metabolic adaptation to a disruption in oxygen supply during myocardial ischemia and reperfusion is underpinned by temporal and quantitative changes in the cardiac proteome. *Journal of proteome research*, 2012. 11(4): p. 2331-2346.

Lai, R.C., et al., Proteolytic potential of the MSC exosome proteome: implications for an exosome-mediated delivery of therapeutic proteasome. *International journal of proteomics*, 2012. 2012.

Kalra, H., et al., Vesiclepedia. *PLoS Biology*, 2012. 10(12).

Kalra, H., et al., Vesiclepedia: a compendium for extracellular vesicles with continuous community annotation. *PLoS biology*, 2012. 10(12): p. e1001450.

Kalra, H., et al., Nolte-t Hoen EN, Pandey A, Patel T, Piper MG, Pluchino S, Prasad TS, Rajendran L, Raposo G, Record M, Reid GE, Sanchez-Madrid F, Schiffelers RM, Siljander P, Stensballe A, Stoorvogel W, Taylor D, Thery C, Valadi H, van Balkom BW, Vazquez J, Vidal M, Wauben MH, Yanez-Mo M, Zoeller M, Mathivanan S, 2012.

Kalra, H., et al., Nolte-t Hoen EN, Pandey A, Patel T, Piper MG, Pluchino S, Prasad TS, Rajendran L, Raposo G, Record M, Reid GE, Sanchez-Madrid F, Schiffelers RM, Siljander P, Stensballe A, Stoorvogel W, Taylor D, Thery C, Valadi H, Van Balkom BW, Vazquez J, Vidal M, Wauben MH, Yanez-Mo M, Zoeller M, Mathivanan S. 2012. Vesiclepedia: a compendium for extracellular vesicles with continuous community annotation. *PLOS Biology*, 2012. 10(12): p. e1001450.

Kalra, H., et al., t Hoen, A. 2012.

Dutta, B., et al., Elucidating the temporal dynamics of chromatin-associated protein release upon DNA digestion by quantitative proteomic approach. *Journal of proteomics*, 2012. 75(17): p. 5493-5506.

Chu, P.P., et al., Intercellular cytosolic transfer correlates with mesenchymal stromal cell rescue of umbilical cord blood cell viability during ex vivo expansion. *Cytotherapy*, 2012. 14(9): p. 1064-1079.

Yeo, R.W.Y. and S.K. Lim, Embryonic stem cells for therapies—challenges and possibilities. *Embryonic Stem Cells—Basic Biology to Bioengineering*, 2011.

Timmers, L., et al., Human mesenchymal stem cell-conditioned medium improves cardiac function following myocardial infarction. *Stem cell research*, 2011. 6(3): p. 206-214.

Shao, S., et al., Correction of hyperglycemia in type 1 diabetic models by transplantation of encapsulated insulin-producing cells derived from mouse embryo progenitor. 2011.

Lim, S.K. and E. Lye, Method of deriving progenitor cell line. 2011, US Patent App. 12/888,724.

Lim, S.K., Mesenchymal stem cell particles. 2011, US Patent App. 12/918,122.

Lai, R.C., A. Choo, and S.K. Lim, Derivation and characterization of human ESC-derived mesenchymal stem cells. *Mesenchymal stem cell assays and applications*, 2011: p. 141-150.

Lai, R.C., T.S. Chen, and S.K. Lim, Mesenchymal stem cell exosome: a novel stem cell-based therapy for cardiovascular disease. *Regenerative medicine*, 2011. 6(4): p. 481-492.

Kiang, S., mesenchymal stem cell particles. 2011.

Choo, A. and S.K. Lim, Derivation of mesenchymal stem cells from human embryonic stem cells. *Embryonic Stem Cell Therapy for Osteo-Degenerative Diseases: Methods and Protocols*, 2011: p. 175-182.

Chen, T.S., et al., Enabling a robust scalable manufacturing process for therapeutic exosomes through oncogenic immortalization of human ESC-derived MSCs. *Journal of translational medicine*, 2011. 9(1): p. 1-10.

CHAI, L.R., Characterization of the secretion of mesenchymal stem cells and its relevance to cardioprotection. 2011.

Bak, X.Y., et al., Human embryonic stem cell-derived mesenchymal stem cells as cellular delivery vehicles for prodrug gene therapy of glioblastoma. *Human gene therapy*, 2011. 22(11): p. 1365-1377.

Zhang, H., et al., Simultaneous characterization of glyco-and phosphoproteomes of mouse brain membrane proteome with electrostatic repulsion hydrophilic interaction chromatography. *Molecular & Cellular Proteomics*, 2010. 9(4): p. 635-647.

Sze, S., et al., ERLIC and Proteomics: Simultaneous Isolation of Phospho-and Glycopeptides and Superior Fractionation of Complex Tryptic Digests. *Journal of biomolecular techniques: JBT*, 2010. 21(3 Suppl): p. S32.

Park, J.E., et al., Hypoxic tumor cell modulates its microenvironment to enhance angiogenic and metastatic potential by secretion of proteins and exosomes. *Molecular & cellular proteomics*, 2010. 9(6): p. 1085-1099.

Lim, K., J.P. Tam, and S.K. Sze, Simultaneous Characterization of Glyco-and Phosphoproteomes of Mouse Brain Membrane Proteome with Electrostatic Repulsion 2 Hydrophilic Interaction Chromatography (ERLIC) 3. variations, 2010. p. 24.

Lai, R.C., et al., Derivation and characterization of human fetal MSCs: an alternative cell source for large-scale production of cardioprotective microparticles. *Journal of molecular and cellular cardiology*, 2010, 48(6), p. 1215-1224.

Lai, R.C., et al., Exosome secreted by MSC reduces myocardial ischemia/reperfusion injury. *Stem cell research*, 2010, 4(3), p. 214-222.

Koh, W., et al., Analysis of deep sequencing microRNA expression profile from human embryonic stem cells derived mesenchymal stem cells reveals possible role of let-7 microRNA family in downstream targeting of hepatic nuclear factor 4 alpha. *BMC genomics*, 2010, 11(1), p. 1-15.

Gao, Y., et al., Transplantation of alginate-encapsulated insulin-producing cells differentiated from embryonic stem/progenitor cells. *DIABETES*, 2010.

de Kleijn, D.P., et al., Local atherosclerotic plaques are a source of prognostic biomarkers for adverse cardiovascular events. *Arteriosclerosis, thrombosis, and vascular biology*, 2010, 30(3), p. 612-619.

Datta, A., et al., Phenotyping of an in vitro model of ischemic penumbra by iTRAQ-based shotgun quantitative proteomics. *Journal of proteome research*, 2010, 9(1), p. 472-484.

Chen, T.S., et al., Delineating biological pathways unique to embryonic stem cell-derived insulin-producing cell lines from their noninsulin-producing progenitor cell lines. *Endocrinology*, 2010, 151(8), p. 3600-3610.

Chen, T.S., et al., Mesenchymal stem cell secretes microparticles enriched in pre-microRNAs. *Nucleic acids research*, 2010, 38(1), p. 215-224.

Zhu, Y., et al., Elucidating in vivo structural dynamics in integral membrane protein by hydroxyl radical footprinting. *Molecular & Cellular Proteomics*, 2009, 8(8), p. 1999-2010.

van Oostrom, O., et al., Folic acid supplementation normalizes the endothelial progenitor cell transcriptome of patients with type 1 diabetes: a case-control pilot study. *Cardiovascular diabetology*, 2009, 8(1), p. 1-11.

van Keulen, J.K., et al., The Nuclear Factor-kappa B p50 subunit is involved in flow-induced outward arterial remodeling. *Atherosclerosis*, 2009, 202(2), p. 424-430.

Li, G.D., et al., Derivation of functional insulin-producing cell lines from primary mouse embryo culture. *Stem Cell Research*, 2009, 2(1), p. 29-40.

Li, G., et al., Generating mESC-derived insulin-producing cell lines through an intermediate lineage-restricted progenitor line. *Stem Cell Research*, 2009, 2(1): p. 41-55.

de Kleijn, D., et al., Human Mesenchymal Stem Cells Secrete an Angiogenic Proteome That Stimulates Angiogenesis in vitro and in vivo and Improves Cardiac Function Following Myocardial Infarction. 2009, Lippincott Williams & Wilkins.

van Keulen, J.K., et al., Identification of gene expression regulated by both Toll-like receptor and transforming growth factor pathways in monocytes. Toll-like receptor 4 signaling in atherosclerotic disease atherosclerosis, arterial remodeling, cross-talk, 2008: p. 105.

van Keulen, J.K., et al., Extra domain A of fibronectin is involved in outward arterial remodeling. Toll-like receptor 4 signaling in atherosclerotic disease atherosclerosis, arterial remodeling, cross-talk, 2008: p. 57.

Timmers, L., et al., Reduction of myocardial infarct size by human mesenchymal stem cell conditioned medium. Stem cell research, 2008. 1(2): p. 129-137.

Lim, S.K. and E. Lye, Mesenchymal stem cell conditioned medium. 2008.

Lian, Q., et al., Deriving clinically compliant mesenchymal stem cells (MSC) from differentiated human ESCs and elucidating MSC paracrine proteome. Cell Research, 2008. 18(1): p. S64-S64.

Keulen, J., et al., The Nuclear Factor-kappa B p50 subunit is involved in flow-induced outward arterial remodeling. 2008.

Gan, C.S., et al., A comparative study of electrostatic repulsion-hydrophilic interaction chromatography (ERLIC) versus SCX-IMAC-based methods for phosphopeptide isolation/enrichment. Journal of proteome research, 2008. 7(11): p. 4869-4877.

Choo, A., et al., Autogeneic feeders for the culture of undifferentiated human embryonic stem cells in feeder and feeder-free conditions. Methods in Cell Biology, 2008. 86: p. 15-28.

Von Stein, O., S. Pettersson, and S. Lim, Methods and Compositions for the Treatment or Prevention of Secondary Ischemic Injury. 2007, Google Patents.

Timmers, L., et al., Clinically compliant mesenchymal stem cell conditioned medium reduces myocardial infarct size in a pig model of ischemia and reperfusion injury. 2007, Lippincott Williams & Wilkins.

Sze, S.K., et al., Elucidating the secretion proteome of human embryonic stem cell-derived mesenchymal stem cells. Molecular & Cellular Proteomics, 2007. 6(10): p. 1680-1689.

Shao, S., et al., Transplantation of Encapsulated Embryonic Progenitor-Derived Insulin-Producing Cells Reverses Hyperglycemia in Immune-Competent Diabetic Animals. *Diabetes*, 2007. 56.

Que, J., et al., PI3 K/Akt/mTOR-mediated translational control regulates proliferation and differentiation of lineage-restricted RoSH stem cell lines. *Journal of molecular signaling*, 2007. 2: p. 1-11.

Lian, Q., et al., Derivation of clinically compliant MSCs from CD105+, CD24- differentiated human ESCs. *Stem cells*, 2007. 25(2): p. 425-436.

Lim, S., Hemangioblast progenitor cells. 2006, Google Patents.

Lian, Q., et al., Establishing Clonal Cell Lines with Endothelial-Like Potential from CD9hi, SSEA-1- Cells in Embryonic Stem Cell-Derived Embryoid Bodies. *PLoS One*, 2006. 1(1): p. e6.

Li, G., et al., Insulin-producing cells derived from embryonic progenitor cells reverse hyperglycemia in streptozotocin-induced diabetic animals. *Diabetes*, 2006. 55: p. A22-A22.

Wei, C.L., et al., Transcriptome profiling of human and murine ESCs identifies divergent paths required to maintain the stem cell state. *Stem cells*, 2005. 23(2): p. 166-185.

Oakley, R., et al. Transplantation of autologous bone marrow-derived cells into the myocardium of patients undergoing coronary bypass. in *The Heart Surgery Forum*. 2005.

Miller-Lotan, R., et al., Increased renal hypertrophy in diabetic mice genetically modified at the haptoglobin locus. *Diabetes/metabolism research and reviews*, 2005. 21(4): p. 332-337.

Yin, Y., et al., Embryonic cell lines with endothelial potential: an in vitro system for studying endothelial differentiation. *Arteriosclerosis, thrombosis, and vascular biology*, 2004. 24(4): p. 691-696.

van Keulen, K., et al. NF-kBp50 is involved in outward arterial remodeling and differentially regulates the expression of toll-like receptor 4 and its endogenous ligand EDA. in *Circulation*. 2004. LIPPINCOTT WILLIAMS & WILKINS 530 WALNUT ST, PHILADELPHIA, PA 19106-3621 USA.

Salto-Tellez, M., et al., Myocardial infarction in the C57BL/6J mouse: a quantifiable and highly reproducible experimental model. *Cardiovascular Pathology*, 2004. 13(2): p. 91-97.

Que, J., et al., CELL AND TISSUE MODELS-Generation of Hybrid Cell Lines with Endothelial Potential from Spontaneous Fusion of Adult Bone Marrow Cells with Embryonic Fibroblast Feeder. *In Vitro-Cellular and Developmental Biology-Animal Section*, 2004. 40(5-6): p. 143-149.

Lim, S., Hemangioblast progenitor cells. 2004, US Patent App. 10/618,540.

Tai, E.S., et al., Hepatic expression of PPAR α , a molecular target of fibrates, is regulated during inflammation in a gender-specific manner. *FEBS letters*, 2003. 546(2-3): p. 237-240.

Ong, W.-Y., et al., Quinacrine abolishes increases in cytoplasmic phospholipase A 2 mRNA levels in the rat hippocampus after kainate-induced neuronal injury. *Experimental brain research*, 2003. 148: p. 521-524.

Lim, S.-K., Freund adjuvant induces TLR2 but not TLR4 expression in the liver of mice. *International immunopharmacology*, 2003. 3(1): p. 115-118.

bin Ali, A., et al., Expression of major HDL-associated antioxidant PON-1 is gender dependent and regulated during inflammation. *Free Radical Biology and Medicine*, 2003. 34(7): p. 824-829.

Yin, Y., et al., AFP+, ESC-derived cells engraft and differentiate into hepatocytes in vivo. *Stem Cells*, 2002. 20(4): p. 338-346.

Vink, A., et al., In vivo evidence for a role of toll-like receptor 4 in the development of intimal lesions. *Circulation*, 2002. 106(15): p. 1985-1990.

Smeets, M.B., et al., Nitric oxide synthesis is involved in arterial haptoglobin expression after sustained flow changes. *FEBS letters*, 2002. 529(2-3): p. 221-224.

Lim, Y.K., et al., Gonadal effects on plasma ACE activity in mice. *Atherosclerosis*, 2002. 160(2): p. 311-316.

El Oakley, R.M., et al., Whole bone marrow transplantation induces angiogenesis following acute ischemia. *Redox report*, 2002. 7(4): p. 215-218.

De Kleijn, D.P., et al., Acute-phase protein haptoglobin is a cell migration factor involved in arterial restructuring. *The FASEB journal*, 2002. 16(9): p. 1123-1125.

Wang, Y., et al., Haptoglobin, an inflammation-inducible plasma protein. *Redox report*, 2001. 6(6): p. 379-385.

Lim, S.-K., et al., Role of haptoglobin in free hemoglobin metabolism. *Redox Report*, 2001. 6(4): p. 219-227.

Lim, S.-K., Consequences of haemolysis without haptoglobin. *Redox report*, 2001. 6(6): p. 375-378.

Hunt, N.H., C. Driussi, and L. Sai-Kiang, Haptoglobin and malaria. *Redox report*, 2001. 6(6): p. 389-392.

Smeets, M., et al. The acute phase protein haptoglobin is a matrix metalloproteinase-2 inhibitor. in *Circulation*. 2000. LIPPINCOTT WILLIAMS & WILKINS 530 WALNUT ST, PHILADELPHIA, PA 19106-3621 USA.

Lim, Y.K., et al., Haptoglobin reduces renal oxidative DNA and tissue damage during phenylhydrazine-induced hemolysis. *Kidney international*, 2000. 58(3): p. 1033-1044.

Lim, S.K., et al., An anemic patient with phenotypical β -thalassemic trait has elevated level of structurally normal β -globin mRNA in reticulocytes. *American journal of hematology*, 2000. 65(3): p. 243-250.

Lim, S.-K., et al., Increased susceptibility in Hp knockout mice during acute hemolysis. *Blood, The Journal of the American Society of Hematology*, 1998. 92(6): p. 1870-1877.

Togashi, S., et al., Serum amyloid P component enhances induction of murine amyloidosis. *Laboratory investigation; a journal of technical methods and pathology*, 1997. 77(5): p. 525-531.

Lim, S.-K., et al., A shortened life span of EKLF $^{-/-}$ adult erythrocytes, due to a deficiency of β -globin chains, is ameliorated by human γ -globin chains. *Blood, The Journal of the American Society of Hematology*, 1997. 90(3): p. 1291-1299.

Lin, C.-S., et al., Differential effects of an erythropoietin receptor gene disruption on primitive and definitive erythropoiesis. *Genes & development*, 1996. 10(2): p. 154-164.

Lim, S.-K. and L.E. Maquat, Human beta-globin mRNAs that harbor a nonsense codon are degraded in murine erythroid tissues to intermediates lacking regions of exon I or exons I and II that have a cap-like structure at the 5' termini. *The EMBO Journal*, 1992. 11(9): p. 3271-3278.

Lim, S., et al., Nonsense codons in human beta-globin mRNA result in the production of mRNA degradation products. *Molecular and Cellular Biology*, 1992. 12(3): p. 1149-1161.

Lim, S., et al., Novel metabolism of several beta zero-thalassemic beta-globin mRNAs in the erythroid tissues of transgenic mice. *The EMBO journal*, 1989. 8(9): p. 2613-2619.

Lim, S.K., Extraction and Identification of Tumor Associated Antigens from Human Primary Hepatocellular Carcinoma. 1986, National University of Singapore.

zur Nieden, N.I., Embryonic Stem Cell Therapy for Osteo-Degenerative Diseases.

Semedo, P., et al., *Cell Biology*.

Reiner, D.-I.A., Extracellular Vesicles and their Detection with Plasmonic Biosensors for the Diagnosis of Ovarian Cancer. Austrian Institute of Technology.

Record, M., et al., Published Reviews in the Series.

Que, J., et al., Spontaneous fusion of adult BM cells with embryonic fibroblast feeder: Hybrid cell lines with endothelial potential.

Park, J.E., et al., Hypoxia Modulates Tumor Microenvironment to Enhance Angiogenic and Metastatic Potential by Secretion of Proteins and Exosomes.